Eggboard

Artemide®

Eggboard

Giacobone & Roj - Progetto CMR 2014

Eggboard is a resounding innovation, offering an efficient lighting solution with sound-absorbing properties. The intelligent fabric minimizes sound reflection and echo in a space, a feature that makes a difference in open spaces, especially in workspaces. Crafted of PET, a high quality material molded into a shape inspired from cardboard egg packaging, Eggboard is available in various colors, bringing a design accent to any office or commercial space. Crafted of PET, a high quality material molded into a shape inspired from cardboard egg packaging, Eggboard is available in various colors, bringing a design accent to any office or commercial space.

Artemide
App



For further information on Eggboard> visit artemide.com

Design Office Stuttgart Tower, Stuttgart | 2016



Excent Offices, project by ODDOS, Pujaudran (France) | 2017

Design Office Stuttgart Tower, Stuttgart | 2016

Samuel Creations, Dubai (UAE) | 2017

Eggboard typologies

SUSPENSION

EGGBOARD MATRIX
1600X800

EGGBOARD ACOUSTIC
1600X800

EGGBOARD MATRIX
800X800

EGGBOARD ACOUSTIC
800X800

CEILING



EGGBOARD BAFFLE
1600X400

EGGBOARD BAFFLE
800X400

SUSPENSION



EGGBOARD BAFFLE
1600X400

EGGBOARD BAFFLE
800X400

EGGBOARD ACOUSTIC
1600X400
1600X800

EGGBOARD CIRCLE
Ø 57
Ø 97

WALL / CEILING ACUSTIC PANEL

EGGBOARD 1600 X 800

Acoustic panel without light emission



EGGBOARD 1600 X 400

Acoustic panel without light emission



EGGBOARD 800 X 800

Acoustic panel without light emission



EGGBOARD 800 X 400

Acoustic panel without light emission



Eggboard Matrix



Suspension appliance with sound-absorbing properties ensured by an unusual sinusoidal cross-section design of the lower surface and the use of a sound-absorbing material.

Acoustic efficiency is ensured within a limited space by positioning at approximately one metre above the head of the speaker and listener.

Direct emission: a board with a high number of low-voltage LEDs ensures maximum lighting comfort.

Reflectors can be rotated for use on single or counterposed double desk.

Complies with the norms on office activities that involve the use of video-terminals (UGR<19).

Available in 3 colours (white, grey, green) and 2 different sizes (1600X800mm - 800X800mm).

Giuntini Headquarters, project by and studio architects, Peccioli (PI), I, 2020

EGGBOARD MATRIX 1 DESK







Rotating the elliptic-beam reflector along the Y axis allows to use the product to illuminate one workstation.

UGR < 12



EGGBOARD MATRIX 2 DESK







Rotating the elliptic-beam reflector along the X axis allows to use the product to illuminate two workstations.

UGR < 17





EGGBOARD ACOUSTIC PANEL



The sound-absorbing material acts by reducing the reverberation time (i.e. the time required to reduce any noise inside the room by 60 db, so as to ensure that any echoes due to reflections on the walls are inaudible).

The frequency of human voice typically ranges from 1 to 4 kHz.

The use of materials capable to reduce these frequencies allows better understanding of speech and prevents the need to talk loudly to cover the background noise.

The sound-absorbing appliance should be located 400-600 mm off the ceiling to ensure optimal operation.





EGGBOARD MATRIX

White cream **2.** | Grey **9.** | Green **5.** | XF

220/240Vac 50/60Hz electronic ballast included.

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h CRI =90
Indirect: Life L80 (10K)>55000h CRI =80

IP20
UGR<19

1600x800

Direct

W	Weight	Beam	Flux	CCT
31 W	16,5 kg	XF	2402 lm	3000 K
			2488 lm	4000 K

Dimmable DALI

Code
M3100W. 2/9/5 **.1**
M3100N. 2/9/5 **.1**





Direct + Indirect

W	Weight	Beam	Flux	CCT
31 W direct	17,68 kg	XF	2402 lm direct 4030 lm indirect	3000 K
44 W indirect			2488 lm direct 4234 lm indirect	4000 K

Dimmable DALI

Code
M3101W. 2/9/5 **.1**
M3101N. 2/9/5 **.1**



Without light

Weight
10 kg

Code
M3108. 2/9/5 **.0**



800x800

Direct

W	Weight	Beam	Flux	CCT
16 W	9,20 kg	XF	1200 lm	3000 K
			1244 lm	4000 K

Dimmable DALI

Code
M3102W. 2/9/5 **.1**
M3102N. 2/9/5 **.1**



Direct + Indirect

W	Weight	Beam	Flux	CCT
16 W direct 23 W indirect	9,70 kg	XF	1200 lm direct 2015 lm indirect	3000 K
			1244 lm direct 2117 lm indirect	4000 K

Dimmable DALI

Code
M3103W. 2/9/5 **.1**
M3103N. 2/9/5 **.1**



Without light

Weight
5 kg

Code
M3109. 2/9/5 **.0**



InterfaceOffices, Krefeld (Germany), ph. Bernadette Grimmenstein | 2017

Progetto CMR Offices, Milan, ph. Andrea Martiradonna | 2019

Eggboard Baffle

1
2
5
Zoso
MAGISTRETTI

Progetto CMR Offices, Milan, ph. Andrea Martiradonna | 2019

EGGBOARD BAFFLE

White cream	Grey	Green	XF
21	**91**	**51**	

220/240Vac 50/60Hz electronic ballast included.

For the suspension version, order the ceiling rose or the APP kit separately.

For the ceiling version, order only the APP kit separately.

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h
CRI =90
Indirect: Life L80 (10K)>55000h
CRI =80

IP20
UGR<19

1600x400 SUSPENSION / CEILING

Direct				
W	Emission	Beam	Flux	CCT
20 W	sharp	XF	1468 lm	3000 K
			1521 lm	4000 K

Dimmable DALI
Code
AZ212. 21/91/51
AZ214. 21/91/51



1600x400 SUSPENSION

Direct + Indirect				
W	Emission	Beam	Flux	CCT
20 W	direct sharp	XF	1468 lm direct	3000 K
41 W	indirect diffused		4927 lm indirect	
			1521 lm direct	4000 K
			5147 lm indirect	

Dimmable DALI
Code
AZ222. 21/91/51
AZ224. 21/91/51

Accessories	
	Code
Canopy + 1 power cable L 210, dimmable DALI only for suspension	**AZ92000**
APP power supply kit for suspension + 1 power cable L 210	**AZ92100**
BLL DALI interface for APP	**AZ92200**

	Ceiling	**Suspension**
ND	**unnecessary**	**-**
DALI	**unnecessary**	**AZ92000**
BLL	**AZ92200**	**AZ92100**

Progetto CMR Offices, Milan Ph. Andrea Martiradonna | 2019

EGGBOARD BAFFLE

White cream **21** | Grey **91** | Green **51** | XF

220/240Vac 50/60Hz electronic ballast included.

For the suspension version, order the ceiling rose or the APP kit separately.

For the ceiling version, order only the APP kit separately.

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h
CRI =90
Indirect: Life L80 (10K)>55000h
CRI =80

IP20
UGR<19

800x400 SUSPENSION / CEILING

Direct					Dimmable DALI
W	Emission	Beam	Flux	CCT	Code
9 W	sharp	XF	667 lm	3000 K	**AZ112.** 21/91/51
			691 lm	4000 K	**AZ114.** 21/91/51



800x400 SUSPENSION

Direct + Indirect					Dimmable DALI
W	Emission	Beam	Flux	CCT	Code
9 W 17 W	direct sharp indirect diffused	XF	667 lm direct 1971 lm indirect	3000 K	**AZ122.** 21/91/51
			691 lm direct 2059 lm indirect	4000 K	**AZ124.** 21/91/51

Accessories	Code
Canopy + 1 power cable L 210, dimmable DALI only for suspension	**AZ92000**
APP power supply kit for suspension + 1 power cable L 210	**AZ92100**
BLL DALI interface for APP	**AZ92200**

	Ceiling	Suspension
ND	**unnecessary**	**-**
DALI	**unnecessary**	**AZ92000**
BLL	**AZ92200**	**AZ92100**

EGGBOARD BAFFLE ACUSTIC PANEL

White cream **2.** | Grey **9.** | Green **5.** | XF

MacAdam 3SDCM
Direct: Life L90 (10K)>60000h
CRI =90
Indirect: Life L80 (10K)>55000h
CRI =80

IP20
UGR<19

SUSPENDED/CEILING

Acustic panel without light	Code
1600 x 800	**AZ300.** 21/91/51
1600 x 400	**AZ200.** 21/91/51

WALL/CEILING

Acustic panel without light	Code
1600 x 800	**AZ800.** 21/91/51
1600 x 400	**AZ700.** 21/91/51
800 x 800	**AZ600.** 21/91/51
800 x 400	**AZ500.** 21/91/51



Eggboard Circle

EGGBOARD CIRCLE

White cream | Blue | Green

MacAdam 3SDCM
Life L90 (10K)>60000h
CRI =90

IP20

UGR<21 Direct light
UGR<19 Direct + Indirect light

Ø 6300 mm

Direct / Direct + indirect emission			**Dimmable DALI**
W	Flux	CCT	Code
50 W	5200 lm Direct	3000 K	**EG10010**
		4000 K	**EG10110**
75 W	5200 lm Direct + 4200 lm Indirect	3000 K	**EG11010**
		4000 K	**EG11110**



Acustic panel	**Dimmable DALI**
Colour	Code
○ Withe Cream	EG10821
● Blue	EG10851
● Green	EG10881

Ø 9300 mm

Direct / Direct + indirect emission			**Dimmable DALI**
W	Flux	CCT	Code
80 W	9800 lm Direct	3000 K	**EG20010**
		4000 K	**EG20110**
105 W	9800 lm Direct + 4200 lm Indirect	3000 K	**EG21010**
		4000 K	**EG21110**



Acustic panel	**Dimmable DALI**
Colour	Code
○ Withe Cream	EG20821
● Blue	EG20851
● Green	EG20881

Accessories	
	Code
APP power L 2100 mm dimmable DALI	**EG90000APP**

EGGBOARD CIRCLE COMPOSITION

App Accessories
Dimmable Dali

Code example
EG90000APP

Ceiling rose with driver
White glossy

Code example
EG. 10/20. 821

Light engine
Ø 6300 mm
Ø 9300 mm

Acustic panel

Ø 6300 mm
Ø 9300 mm

Code example
EG. 10/20. 010

Eggboard Family is compatible with Artemide App

Artemide App is a user-friendly and intuitive interface used to control individual products, groups of appliances and lighting scenarios. It is a tool that can be associated with several products from both the Design and the Architectural Catalogues.

Download Artemide App
and find more information on
artemide.com

Artemide®

Headquarters

Artemide S.p.A.
Via Bergamo, 18
20010 Pregnana Milanese (MI), Italy
Tel. +39 02 93518.1
Tel. +39 02 93526.1
Numero verde 800 834 093
(from Italy only)
info@artemide.com
artemide.com

Communication and Marketing Department

Via Canova, 34
20145 Milan (MI), Italy
Tel. +39 02.349611
marketing@artemide.com
artemide.com

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Artemide S.p.A.
si riserva la facoltà di modificare, in qualunque momento e senza preavviso, le caratteristiche tecniche degli elementi illustrati nel presente catalogo.

Artemide S.p.A.
reserves the right to change, at any time and without prior warning, the technical specifications of any product illustrated in this catalogue.

Artemide S.p.A.
se réserve le droit de modifier, à n'importe quel moment et sans préavis, les caractéristiques techniques des éléments illustrés dans ce catalogue.

Artemide S.p.A.
behält sich das Recht vor jederzeit und ohne Ankündigung die technischen Daten der im Katalog abgebildetem Produkte zu ändern.

Artemide S.p.A.
se reserva la facultad de modificar, en cualquier y sin aviso previo, las características técnicas de los elementos ilustrados en el presente catálgo.

2024 updated version.

For information regarding distributors and points of sale, please visit our website artemide.com or email: info@artemide.com