

Luminaire

Code 0160010APP
Name HUARA T app compatible

Measurerm.

Code FTS2102302
Name HUARA T app compatible

Luminaire Flux	161.31 lm	Luminaire Power	47.00 W	Efficacy	3.43 lm/W	Efficiency	100.00%
Sources Flux	161.31 lm	Maximum value	91.63 cd/klm	Position	C=0.00 G=178.00	CG	Rotosymmetrical
Round Luminaire		Diam.	300 mm	Height	300 mm		
Round Luminous Area		Diam.	300 mm	Height	300 mm		
Horizontal Luminous Area		0.070686 m2		Emitting area on Plane 180°		0.090000 m2	
Emitting area on Plane 0°		0.090000 m2		Emitting area on Plane 270°		0.090000 m2	
Emitting area on Plane 90°		0.090000 m2		Glare area at 76°		0.104427 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		10-05-2021		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		161.31 lm	


HUARA 3000K CRI=80

C.I.E. 19 42 70 43 100
F UTE 0.43 J + 0.57 T

D DIN 5040
B NBN

C12
BZ 9 / 4 / BZ 10

Diam=300mm



Semipiani C

180.0 ——— 0.0

ULOR 56.80 %

DLOR 43.20 %

RN 56.80 %

