

Luminaire


Code 1202a00A
Name Alphabet of light - a

Measurment

Code FTS1700162-A
Name Alphabet of light - a

Luminaire Flux	1971 lm	Luminaire Power	22.0 W	Efficacy	89.597 lm/W	Efficiency	100.00%
Source Flux	1971 lm	Maximum value	114.12 cd/klm	Position	C=90.00 G=89.00	CG	Double Symmetrical
Rectangular Luminaire		Length	50 mm	Width	650 mm	Height	650 mm
Rectangular Luminous Area		Length	50 mm	Width	650 mm	Height	649 mm
Horizontal Luminous Area		0.032500 m2		Emitting area on Plane 180°		0.032500 m2	
Emitting area on Plane 0°		0.032500 m2		Emitting area on Plane 270°		0.422500 m2	
Emitting area on Plane 90°		0.422500 m2		Glare area at 76°		0.039397 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		10-03-2022		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1971 lm	
LED Flux=2247lm LED Power=22W Eff=88% EfcLed=102lm/W EfcLum=90lm/W CCT=3000K Ra=80 SDCM=3 L70(6K)=36000h							
C.I.E.	21 46 73 50 100			D DIN 5040		C11	
F UTE	0.50 J + 0.50 T			B NBN		BZ 9	

50mm x 650mm



Semipiani C

180.0 ——— 0.0
270.0 ——— 90.0

ULOR 50.00 %

DLOR 50.00 %

RN 50.00 %

