

## Luminaire

Code 1202ae00A  
Name Alphabet of light - æ

## Measurem.

Code FTS1700224-A  
Name Alphabet of light - æ

Luminaire Flux	3069 lm	Luminaire Power	34.0 W	Efficacy	90.271 lm/W	Efficiency	100.00%
Source Flux	3069 lm	Maximum value	114.12 cd/klm	Position	C=90.00 G=89.00	CG	Double Symmetrical
Rectangular Luminaire		Length	50 mm	Width	950 mm	Height	650 mm
Rectangular Luminous Area		Length	50 mm	Width	950 mm	Height	650 mm
Horizontal Luminous Area		0.047500 m2		Emitting area on Plane 180°		0.032500 m2	
Emitting area on Plane 0°		0.032500 m2		Emitting area on Plane 270°		0.617500 m2	
Emitting area on Plane 90°		0.617500 m2		Glare area at 76°		0.043026 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		10-03-2022		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3069 lm	


LED Flux=3499lm LED Power=34W Eff=88% EfcLed=103lm/W EfcLum=90lm/W CCT=3000K Ra=80 SDCM=3 L70(6K)=36000h

C.I.E. 21 46 73 50 100  
F UTE 0.50 J + 0.50 T

D DIN 5040  
B NBN

C11  
BZ 9

50mm x 950mm



Semipiani C

180.0 ——— 0.0  
270.0 ——— 90.0

ULOR 50.00 %

DLOR 50.00 %

RN 50.00 %

