

## Luminaire


Code 1285010A  
Name nh 22 C

## Measurem.

Code FTS2000225-A  
Name nh 22 C

Luminaire Flux	1142 lm	Luminaire Power	13.0 W	Efficacy	87.830 lm/W	Efficiency	75.07%
Source Flux	1521 lm	Maximum value	100.99 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	220 mm	Height	220 mm		
Round Luminous Area		Diam.	220 mm	Height	220 mm		
Horizontal Luminous Area		0.038013 m2		Emitting area on Plane 180°		0.048400 m2	
Emitting area on Plane 0°		0.048400 m2		Emitting area on Plane 270°		0.048400 m2	
Emitting area on Plane 90°		0.048400 m2		Glare area at 76°		0.056159 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		18-01-2022		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1521 lm	
Lamping=LED DIM 1x13W (E27) CCT=2700K CRI=80							
C.I.E.	30 57 80 67 75			D DIN 5040	B11		
F UTE	0.50 J + 0.25 T			B NBN	BZ 7		

Diam=220mm



Semipiani C

180.0 ——— 0.0

ULOR 25.02 %

DLOR 50.05 %

RN 33.33 %

