

Luminaire

Code AF46705
Name SHARP SMD.8X 22W 930 WW ND SIL/NRO

Measurem.

Code FTS1903502
Name SHARP SMD.8X 22W 930 WW ND SIL/NRO

Luminaire Flux	1312.91 lm	Luminaire Power	24.00 W	Efficacy	54.70 lm/W	Efficiency	100.00%
Lamps Flux	1312.91 lm	Maximum value	1103.17 cd/klm	Position	C=175.00 G=9.00	CG	Sym. on planes 0-180
Rectangular Luminaire	Length	300 mm	Width	45 mm	Height	85 mm	
Rectangular Luminous Area	Length	290 mm	Width	32 mm	Height	0 mm	
Horizontal Luminous Area	0.009280 m2	Emitting area on Plane 180°	0.000000 m2	Emitting area on Plane 270°	0.000000 m2	Emitting area on Plane 90°	0.002245 m2
Coordinate system	CG	Symmetry Type	Sym. on planes 0-180	Date	29-10-2019	Maximum Gamma Angle	180
Measurement Distance	0.00	Measurement Flux	1312.91 lm	LED Flux=2186lm LED Power=22W Eff=60% EfcLed=99lm/W EfcLum=55lm/W CCT=3000K Ra=90 SDCM=2 L70(6K)=118000h			
C.I.E.	73 92 98 100 100	D DIN 5040	A60				
F UTE	1.00 B	B NBN	BZ 1 / 1 / BZ 2				



