

## Luminaire

Code AF88101  
Name SHARP SMD.16X 44W 930 WW DIM BCO/BCO

## Measurem.

Code FTS1903548  
Name SHARP SMD.16X 44W 930 WW DIM BCO/BCO

Luminaire Flux	2829.54 lm	Luminaire Power	47.00 W	Efficacy	60.20 lm/W	Efficiency	100.00%
Lamps Flux	2829.54 lm	Maximum value	1037.05 cd/klm	Position	C=170.00 G=9.00	CG	Sym. on planes 0-180
Rectangular Luminaire	Length	600 mm	Width	45 mm	Height	85 mm	
Rectangular Luminous Area	Length	590 mm	Width	32 mm	Height	0 mm	
Horizontal Luminous Area	0.018880 m2	Emitting area on Plane 180°	0.000000 m2	Emitting area on Plane 270°	0.000000 m2	Emitting area on Plane 90°	0.004567 m2
Coordinate system	CG	Symmetry Type	Sym. on planes 0-180	Date	23-10-2019	Maximum Gamma Angle	180
Measurement Distance	0.00	Measurement Flux	2829.54 lm				
LED Flux=4372lm LED Power=44W Eff=65% EfcLed=99lm/W EfcLum=60lm/W CCT=3000K Ra=90 SDCM=2 L70(6K)=118000h							
C.I.E.	70 90 97 100 100	D DIN 5040	A50				
F UTE	1.00 C	B NBN	BZ 2				



