

## Luminaire

Code AQ34320  
Name A.24 PLAF.MOD.SHARP 4000K XF 2352 B.BRZ

## Measurement

Code FTS1802305  
Name A.24 PLAF.MOD.SHARP 4000K XF 2352 B.BRZ

Luminaire Flux	3704 lm	Luminaire Power	45.0 W	Efficacy	82.319 lm/W	Efficiency	100.00%
Source Flux	3704 lm	Maximum value	1052.56 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2352 mm	Width	27 mm	Height	55 mm
Rectangular Luminous Area		Length	516 mm	Width	12 mm	Height	0 mm
Horizontal Luminous Area		0.006192 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001498 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		21-11-2018		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3704 lm	
LED Flux=4281lm LED Power=38W Eff=87% EfcLed=113lm/W EfcLum=82lm/W CCT=4000K Ra=90 SDCM=2 L90(20K)=118000h							
C.I.E.	98	100	100	100	D DIN 5040	A60	
F UTE	--				B NBN	BZ 1	



