

Luminaire


Code AQ48601
Name A.24 SOSP. DIR+IND SHARP 2700K XF 1176WHT

Measurement

Code FTS1802347-C
Name A.24 SOSP. DIR+IND SHARP 2700K XF 1176WHT

Luminaire Flux	3412 lm	Luminaire Power	36.0 W	Efficacy	94.778 lm/W	Efficiency	100.00%
Source Flux	3412 lm	Maximum value	530.19 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1176 mm	Width	27 mm	Height	55 mm
Rectangular Luminous Area		Length	258 mm	Width	12 mm	Height	0 mm
Horizontal Luminous Area		0.003096 m ²		Emitting area on Plane 180°		0.000000 m ²	
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°		0.000000 m ²	
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°		0.000749 m ²	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		20-09-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3412 lm	
LED Flux=4332lm LED Power=33W Eff=79% EfcLed=130lm/W EfcLum=95lm/W CCT=2700K Ra=90 R9=50 SDCM=3 L70(6K)=102000h							
C.I.E.	98	100	100	50	100	D DIN 5040	C61
F UTE	--					B NBN	BZ 1

1176mm x 27mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 49.63 %
DLOR 50.37 %
RN 49.63 %

