

Luminaire

Code AT22001+AT09506
 Name A.39 SOSP DIR/IND 1482MM 830 DIM BCO

Measurerm.

Code FTS1801071-B
 Name A.39 SOSP DIR/IND 1482MM 830 DIM BCO

Luminaire Flux	5852 lm	Luminaire Power	45.0 W	Efficacy	130.044 lm/W	Efficiency	100.00%
Source Flux	5852 lm	Maximum value	195.12 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1482 mm	Width	45 mm	Height	85 mm
Rectangular Luminous Area		Length	1474 mm	Width	40 mm	Height	0 mm
Horizontal Luminous Area		0.058960 m2		Emitting area on Plane 180°	0.000000 m2		
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°	0.000000 m2		
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°	0.014264 m2		
Coordinate system		CG		Symmetry Type	Double Symmetrical		
Date		30-01-2024		Maximum Gamma Angle	180		
Measurement Distance		0.00		Measurement Flux	5852 lm		


LED Flux=7628lm LED Power=40W Eff=77% EfcLed=193lm/W EfcLum=130lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(17k)=102000h

C.I.E. 49 80 96 51 100
 F UTE 0.51 E + 0.49 T

D DIN 5040
 B NBN

C31
 BZ 4

1482mm x 45mm



Semipiani C

180.0 — 0.0
 270.0 — 90.0

ULOR 49.28 %

DLOR 50.72 %

RN 49.28 %

