

Luminaire

Code BH10204+BH16304
 Name A.39 SHARP D+IND 2368 HB 17 300K DM NRO + COVER 6X4 OPT. HB BLACK

Measurem.

Code FTS1900256-B
 Name A.39 SHARP D+IND 2368 HB 17 300K DM NRO + COVER 6X4 OPT. HB BLACK

Luminaire Flux	11016 lm	Luminaire Power	120.0 W	Efficacy	91.800 lm/W	Efficiency	100.00%
Source Flux	11016 lm	Maximum value	2475.62 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2368 mm	Width	40 mm	Height	111 mm
Rectangular Luminous Area		Length	888 mm	Width	37 mm	Height	0 mm
Horizontal Luminous Area		0.032856 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.007949 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		21-11-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		11016 lm	
LED Flux=13945lm LED Power=107W Eff=79% EfcLed=130lm/W EfcLum=92lm/W CCT=3000K Ra=90 R9=50 SDCM=2 L70(17k)=102000h							
C.I.E.	100 100 100 44 100			D DIN 5040	C62		
F UTE	--			B NBN	BZ 1		



