

Luminaire

Code BH10905+BH16304
 Name A.39 SHARP D+IND 2368 HB 54 400K ND SIL + COVER 6X4 OPT. HB BLACK

Measurem.

Code FTS1900283
 Name A.39 SHARP D+IND 2368 HB 54 400K ND SIL + COVER 6X4 OPT. HB BLACK

Luminaire Flux	11182.64 lm	Luminaire Power	125.00 W	Efficacy	89.46 lm/W	Efficiency	100.00%
Sources Flux	11182.64 lm	Maximum value	640.55 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2368 mm	Width	40 mm	Height	111 mm
Rectangular Luminous Area		Length	888 mm	Width	37 mm	Height	0 mm
Horizontal Luminous Area		0.032856 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.007949 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		17-07-2017		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		11182.64 lm	
LED Flux=14244,9lm LED Power=103W Eff=79% EfcLed=138lm/W EfcLum=89lm/W Ra=90 SDCM=2 L90(20K)=118000h							
C.I.E.	99 100 100 45 100			D DIN 5040	C62		
F UTE	--			B NBN	BZ 1		



