

Luminaire

Code BH14404+BH16204
 Name A.39 SHARP D+IND 2368 LB 34 300K ND NRO + COVER 4X4 OPT. LB BLACK

Measurement

Code FTS1900187-A
 Name A.39 SHARP D+IND 2368 LB 34 300K ND NRO + COVER 4X4 OPT. LB BLACK

Luminaire Flux	9197 lm	Luminaire Power	104.0 W	Efficacy	88.433 lm/W	Efficiency	100.00%
Source Flux	9197 lm	Maximum value	871.62 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2368 mm	Width	40 mm	Height	111 mm
Rectangular Luminous Area		Length	592 mm	Width	37 mm	Height	0 mm
Horizontal Luminous Area		0.021904 m ²		Emitting area on Plane 180°		0.000000 m ²	
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°		0.000000 m ²	
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°		0.005299 m ²	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		21-11-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		9197 lm	
LED Flux=11769lm LED Power=85W Eff=78% EfcLed=138lm/W EfcLum=88lm/W CCT=3000K Ra=90 R9=50 SDCM=2 L70(17k)=102000h							
C.I.E.	99 100 100 33 100			D DIN 5040		D62	
F UTE	--			B NBN		BZ 1	



