

Luminaire

Code BZ01601+BZ06104
 Name A.39 S/C SHARP REFR.DIR 2368 830 ND BCO + KIT LOUVRES 2368 NRO

Measurement

Code FTS2102055-A
 Name A.39 S/C SHARP REFR.DIR 2368 830 ND BCO + KIT LOUVRES 2368 NRO

Luminaire Flux	8968 lm	Luminaire Power	70.0 W	Efficacy	128.114 lm/W	Efficiency	100.00%
Source Flux	8968 lm	Maximum value	1170.52 cd/klm	Position	C=5.00 G=1.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2368 mm	Width	45 mm	Height	85 mm
Rectangular Luminous Area		Length	2363 mm	Width	35 mm	Height	0 mm
Horizontal Luminous Area		0.082705 m ²		Emitting area on Plane 180°		0.000000 m ²	
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°		0.000000 m ²	
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°		0.020008 m ²	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		02-11-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		8968 lm	
LED Flux=11146lm LED Power=62W Eff=80% EfcLed=179lm/W EfcLum=128lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(6K)=50000h							
C.I.E.	98	100	100	100	100	D DIN 5040	A60
F UTE	--					B NBN	BZ 1



