


Luminaire

Code CA32201+AP91200
 Name GOPLE 80 S / TRK16 48V 4000K WF BCO + VECTOR 55 - LENS FOR ELLIPTICAL EMISSION

Measurement

Code FTS2200072
 Name GOPLE 80 S / TRK16 48V 4000K WF BCO + VECTOR 55 - LENS FOR ELLIPTICAL EMISSION

Luminaire Flux	1281 lm	Luminaire Power	23.0 W	Efficacy	55.717 lm/W	Efficiency	100.00%
Source Flux	1281 lm	Maximum value	2312.07 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Round Luminaire		Diam.	77 mm	Height	150 mm		
Round Luminous Area		Diam.	46 mm	Height	0 mm		
Horizontal Luminous Area		0.001662 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.000402 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		01-03-2022		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1281 lm	
LED Flux=2473lm LED Power=22W Eff=52% EfcLed=114lm/W EfcLum=56lm/W CCT=4000K Ra=90 R9=50 SDCM=3 L70(6K)=50000h							
C.I.E.	94 98 100 100 100			D DIN 5040	A60		
F UTE	1.00 A			B NBN	BZ 1		



ULOR 0.00 %
 DLOR 100.00 %
 RN 0.00 %

