

Luminaire

Code M259060
Name EVERY 105 QD TR FI LED 3000K 2X14°ME/S

Measurem.

Code FTS1602381-A
Name EVERY 105 QD TR FI LED 3000K 2X14°ME/S

Luminaire Flux	1002 lm	Luminaire Power	10.0 W	Efficacy	100.200 lm/W	Efficiency	100.00%
Source Flux	1002 lm	Maximum value	1063.07 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	85 mm	Width	85 mm	Height	130 mm
Rectangular Luminous Area		Length	80 mm	Width	80 mm	Height	0 mm
Horizontal Luminous Area		0.006400 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001548 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		06-06-2024		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1002 lm	
LED Flux=1556lm LED Power=10W Eff=64% EfcLed=156lm/W EfcLum=100lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(9k)=50000h							
C.I.E.	93 100 100 100 100			D DIN 5040	A60		
F UTE	1.00 A			B NBN	BZ 1		

85mm x 85mm



Semipiani C

180.0 ——— 0.0

ULOR 0.00 %

DLOR100.00 %

RN 0.00 %



