

Luminaire

Code T4621010
Name LA LINEA 25 - 10M

Measurum.

Code FTS2400034
Name LA LINEA 25 - 10M

| | | | | | | | |
|---|---|---|---|----------------|------------------|----------------|--------------|
| Luminaire Flux | 9500 lm | Luminaire Power | 125.0 W | Efficacy | 76.000 lm/W | Efficiency | 100.00% |
| Source Flux | 9500 lm | Maximum value | 105.10 cd/klm | Position | C=30.00 G=3.00 | CG | Asymmetrical |
| Rectangular Luminaire Rectangular Luminous Area | Length Length | 10000 mm 10000 mm | Width Width | 25 mm 25 mm | Height Height | 25 mm 25 mm | |
| Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90° | 0.250000 m2 0.250000 m2 0.000625 m2 | Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76° | 0.250000 m2 0.000625 m2 0.303054 m2 | | | | |
| Coordinate system | CG | Symmetry Type | Asymmetrical | | | | |
| Date | 23-01-2024 | Maximum Gamma Angle | 180 | | | | |
| Measurement Distance | 0.00 | Measurement Flux | 9500 lm | | | | |


EfcLum=76lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(6k)=36000h

C.I.E. 31 57 79 50 100
F UTE 0.50 H + 0.50 T

D DIN 5040
B NBN

C21
BZ 7

10000mm x 25mm



Sempiani C

180.0 — 0.0
270.0 — 90.0

ULOR 50.00 %

DLOR 50.00 %

RN 50.00 %

