






LUCERI LED ROUND/KADRO








design
Studio Artemide














1



	DIMENSIONS IN mm		s	x	H	H1	A	B	Kg
	values	toll							
LUCERI ROUND TRIM	Ø 230	+2/-0	1-25	230	250	176	550	550	1,5
LUCERI ROUND TRIMLESS CUTTING EDGE (use of M240500)	Ø 216	+2/-0	1-25	216	250	177	550	550	1,5
LUCERI ROUND TRIMLESS ROUNDED EDGE (use of M240600)	Ø 292	+2/-0	1-25	292	250	215	550	550	1,5
LUCERI KADRO TRIM	203x203	+2/-0	1-25	203x203	250	196	550	550	1,5
LUCERI KADRO TRIMLESS CUTTING EDGE (use of M240700)	195x195	+2/-0	1-25	195x195	250	195	550	550	1,5
LUCERI KADRO TRIMLESS ROUNDED EDGE (use of M240800)	275x275	+2/-0	1-25	275x275	250	238	550	550	1,5







2a Luceri Led Trim





Luceri Led Trimless

2b




3




i



DRIVER	Vac	L [mm]	W [mm]	H [mm]			CODE
cc 50W 1400mA	220-240	165	43	30	1 max	Undimmable	DV1015
cc 50W 1400mA	220-240	144	32	32	1 max	DALI dimmable	DV1016
cc 35W 700mA	220-240	103	67	21	1 max	Undimmable	DV1017
cc 35W 700mA	220-240	103	67	21	1 max	DALI dimmable	DV1018

50 W - I: 1400 mA - Uout max 60 



25 W - I: 700 mA - Uout max 60 






4




5




6












8




9




i**i**




i




i




1a




1b




2a




2b







3a



3b





Artemide[®]
ARCHITECTURAL



Artemide Spa

via Bergamo, 18
20010 Pregnana M.se (MI)
ITALIA

Tel. +39 02 935 181
Fax +39 02 935 90 254
Fax +39 02 935 90 496

www.artemide.com

VAT IT00846890150

cod. Y513000942A