



A.24 REMOTE POWER SUPPLY KIT FOR RECESSED AND CEILING SYSTEM

design
C. de Bevilacqua



Sharping



Magnetic






Diffusing










i







Artemide App
Quick Starting
Guide





A.24 RECESSED



Magnetic



Y513000867



Sharping



Diffusing





Y513001071

i






A.24 CEILING



Y513000961




A.24 MULTIPLE SYSTEMS POWER SUPPLY




$$W_1 + W_2 + W_3 + \dots + W_N \leq \text{Output Max}$$

1

R




i



i

Output Max [W]	Extension cord length e [m]	Extension cord cross section S [mm²]
125	10	1
	15	1.5
	25	2.5
	40	4
210	5	1
	10	1.5
	16	2.5
	25	4
270	5	1.5
	10	2.5
	17	4
	25	6

2



3














Fig. 4		DALI
Fig. 5		0-10V (opt.1)
Fig. 6		0-10V (opt.2)
Fig. 7		1-10V
Fig. 8		Push
Fig. 9		LV Push
Fig. 10		APP







MAX 64 DART
ADDRESSES


VDC out




	EN	IT	ES	FR	DE
DART-	White	Bianco	Blanco	Blanc	Weiß
DART+	Red	Rosso	Rojo	Rouge	Rot
-	Blue	Blu	Azul	Bleu	Blau
+	Brown	Marrone	Marrón	Brun	Braun







MIN. DIMMING
LEVEL 1%




MIN. DIMMING
LEVEL 5%




	EN	IT	ES	FR	DE
DART-	White	Bianco	Blanco	Blanc	Weiß
DART+	Red	Rosso	Rojo	Rouge	Rot
-	Blue	Blu	Azul	Bleu	Blaul
+	Brown	Marrone	Marrón	Brun	Braun







MIN. DIMMING
LEVEL 1%




MIN. DIMMING
LEVEL 5%




	EN	IT	ES	FR	DE
DART-	White	Bianco	Blanco	Blanc	Weiß
DART+	Red	Rosso	Rojo	Rouge	Rot
-	Blue	Blu	Azul	Bleu	Blau
+	Brown	Marrone	Marrón	Brun	Braun



MIN. DIMMING
LEVEL 1%







MIN. DIMMING
LEVEL 5%








	EN	IT	ES	FR	DE
DART-	White	Bianco	Bianco	Blanc	Weiß
DART+	Red	Rosso	Rojó	Rouge	Rot
-	Blue	Blu	Azul	Bleu	Blau
+	Brown	Marrone	Marrón	Brun	Braun



Push




	EN	IT	ES	FR	DE
DART-	White	Bianco	Blanco	Blanc	Weiß
DART+	Red	Rosso	Rojo	Rouge	Rot
-	Blue	Blu	Azul	Bleu	Blau
+	Brown	Marrone	Marrón	Brun	Braun




	EN	IT	ES	FR	DE
DART-	White	Blanco	Blanco	Blanc	Weiß
DART+	Red	Rosso	Rojo	Rouge	Rot
-	Blue	Blu	Azul	Bleu	Blau
+	Brown	Marrone	Marrón	Brun	Braun



10




11




12



13a




14a








A



15a




16a



B**13b****14b****15b****16b**





Artemide Spa

via Bergamo, 18
20006 Pregnana M.se (MI)
ITALIA

Tel. +39 02 935 181
Fax +39 02 935 90 254
Fax +39 02 935 90 496

www.artemide.com

VAT IT00846890150