

Luminaire

Code 1051010A
Name CASTORE SOSPENSIONE 420

Measurerm.

Code FTS0002067
Name CASTORE SOSPENSIONE 420

| | | | | | | | |
|----------------------------|---------|-------------------------|--------------|-----------------------------|-----------------|-------------------------|-----------------|
| Luminaire Flux | 2218 lm | Luminaire Power | 21.0 W | Efficacy | 105.628 lm/W | Efficiency | 90.46% |
| Source Flux | 2452 lm | Maximum value | 78.49 cd/klm | Position | C=0.00 G=100.00 | CG | Rotosymmetrical |
| Round Luminaire | | Diam. | 420 mm | Height | 420 mm | | |
| Round Luminous Area | | Diam. | 420 mm | Height | 420 mm | | |
| Horizontal Luminous Area | | 0.138544 m ² | | Emitting area on Plane 180° | | 0.176400 m ² | |
| Emitting area on Plane 0° | | 0.176400 m ² | | Emitting area on Plane 270° | | 0.176400 m ² | |
| Emitting area on Plane 90° | | 0.176400 m ² | | Glare area at 76° | | 0.204677 m ² | |
| Coordinate system | | CG | | Symmetry Type | | Rotosymmetrical | |
| Date | | 16-12-2021 | | Maximum Gamma Angle | | 180 | |
| Measurement Distance | | 0.00 | | Measurement Flux | | 2452 lm | |

Lamping=LED DIM 1x21W (E27) CCT=2700K CRI=80

C.I.E. 23 47 73 50 90
F UTE 0.45 J + 0.46 T

D DIN 5040
B NBN

C11
BZ 9 / 0.8 / BZ 8 / 1 / BZ 9 / 2.5 / BZ 8 / 3 / BZ 9

Diam=420mm



Semipiani C

180.0 ——— 0.0

ULOR 45.60 %

DLOR 44.86 %

RN 50.41 %

