

Luminaire


Code AF05305+AF95101+AF0600
 Name SHARP RECESSED TRIM 2X 6W 930 FLOOD SILVER EXT.DRV + SCREEN 2X WHITE + GRAZER LENS

Measurerm.

Code FTS1901401
 Name SHARP RECESSED TRIM 2X 6W 930 FLOOD SILVER EXT.DRV + SCREEN 2X WHITE + GRAZER LENS

Luminaire Flux	371.46 lm	Luminaire Power	5.50 W	Efficacy	67.54 lm/W	Efficiency	100.00%
Lamps Flux	371.46 lm	Maximum value	1469.14 cd/klm	Position	C=90.00 G=23.00	CG	Double Symmetrical
Rectangular Luminaire		Length	74 mm	Width	40 mm	Height	55 mm
Rectangular Luminous Area		Length	72 mm	Width	37 mm	Height	0 mm
Horizontal Luminous Area	0.002664 m2			Emitting area on Plane 180°	0.000000 m2		
Emitting area on Plane 0°	0.000000 m2			Emitting area on Plane 270°	0.000000 m2		
Emitting area on Plane 90°	0.000000 m2			Glare area at 76°	0.000644 m2		
Coordinate system	CG			Symmetry Type	Double Symmetrical		
Date	18-07-2018			Maximum Gamma Angle	180		
Measurement Distance	0.00			Measurement Flux	371.46 lm		
LED Flux=530.66lm LED Power=5.5W Eff=70% EfcLed=96lm/W EfcLum=68lm/W CCT=3000K Ra=90 SDCM=2 L90(20K)=118000h							
C.I.E.	89 97 99 100 100			D DIN 5040	A60		
F UTE	1.00 A			B NBN	BZ 1		

74mm x 40mm



Semipiani C

180.0 ——— 0.0
 270.0 ——— 90.0

ULOR 0.00 %
 DLOR 100.00 %
 RN 0.00 %

