


Luminaire

Code M327705_30°
Name EVERYT 80 SQ OR TS LED2700K 2X22° B_30°

Measurerm.

Code FTS2400136.
Name EVERYT 80 SQ OR TS LED2700K 2X22° B_30°

Luminaire Flux	939 lm	Luminaire Power	10.0 W	Efficacy	93.900 lm/W	Efficiency	100.00%
Source Flux	939 lm	Maximum value	1217.29 cd/klm	Position	C=0.00 G=27.00	CG	Sym. on planes 0-180
Rectangular Luminaire		Length	80 mm	Width	80 mm	Height	115 mm
Rectangular Luminous Area		Length	60 mm	Width	60 mm	Height	0 mm
Horizontal Luminous Area		0.003600 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.000871 m2	
Coordinate system		CG		Symmetry Type		Sym. on planes 0-180	
Date		20-05-2024		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		939 lm	
LED Flux=1474lm LED Power=10W Eff=64% EfcLed=147lm/W EfcLum=94lm/W CCT=2700K Ra=90 R9=50 SDCM=3 L70(9k)=50000h							
C.I.E.	71 94 99 100 100			D DIN 5040	A60		
F UTE	1.00 B			B NBN	BZ 2		



ULOR 0.10 %
DLOR 99.90 %
RN 0.10 %

