


## Luminaire

Code FTS2102013  
Name ARRIVAL 70 Sospensione

## Measurum.

Code RDN210095  
Name ARRIVAL 70 Sospensione

Luminaire Flux	809.00 lm	Luminaire Power	26.00 W	Efficacy	31.12 lm/W	Efficiency	100.00%
Sources Flux	809.00 lm	Maximum value	105.76 cd/klm	Position	C=260.00 G=87.00	CG	Asymmetrical
Round Luminaire		Diam.	312 mm	Height	702 mm		
Round Luminous Area		Diam.	312 mm	Height	659 mm		
Horizontal Luminous Area			0.076454 m <sup>2</sup>	Emitting area on Plane 180°			0.205608 m <sup>2</sup>
Emitting area on Plane 0°			0.205608 m <sup>2</sup>	Emitting area on Plane 270°			0.205608 m <sup>2</sup>
Emitting area on Plane 90°			0.205608 m <sup>2</sup>	Glare area at 76°			0.217996 m <sup>2</sup>
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		05-03-2021		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		809.00 lm	
LED Flux=2299lm LED Power=21W Eff=35% EfcLed=109lm/W EfcLum=31lm/W CCT=3000 Ra=90 SDCM=3 L70(6K)=36000							
C.I.E.	19 44 71 51 100			D DIN 5040		C11	
F UTE	0.51 J + 0.49 T			B NBN		BZ 9	



ULOR 48.50 %  
DLOR 51.50 %  
RN 48.50 %

