

Luminaire

Code AQ34504
Name A.24 PLAF. MOD.SHARP 2700K XF 2352mm BLK

Measurement

Code FTS1802281-B
Name A.24 PLAF. MOD.SHARP 2700K XF 2352mm BLK

Luminaire Flux	3437 lm	Luminaire Power	45.0 W	Efficacy	76.377 lm/W	Efficiency	100.00%
Source Flux	3437 lm	Maximum value	1052.56 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2352 mm	Width	27 mm	Height	55 mm
Rectangular Luminous Area		Length	516 mm	Width	12 mm	Height	0 mm
Horizontal Luminous Area		0.006192 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.001498 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		17-11-2021		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		3437 lm	


LED Flux=3972lm LED Power=38W Eff=87% EfcLed=105lm/W EfcLum=76lm/W CCT=2700K Ra=90 R9=50 SDCM=3 L70(6K)=272160h

C.I.E. 98 100 100 100 100
F UTE --

D DIN 5040
B NBN

A60
BZ 1

2352mm x 27mm



Semipiani C

180.0 — 0.0
270.0 — 90.0

ULOR 0.00 %
DLOR 100.00 %
RN 0.00 %

