

## Luminaire

Code 1427000A  
Name ALPHABET OF LIGHT SR LINEARE 240 EU-USA

## Measurem.

Code FTS1900834-A  
Name ALPHABET OF LIGHT SR LINEARE 240 EU-USA

Luminaire Flux	6968 lm	Luminaire Power	47.0 W	Efficacy	148.255 lm/W	Efficiency	100.00%
Source Flux	6968 lm	Maximum value	158.36 cd/klm	Position	C=45.00 G=1.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2400 mm	Width	50 mm	Height	50 mm
Rectangular Luminous Area		Length	2400 mm	Width	50 mm	Height	50 mm
Horizontal Luminous Area		0.120000 m2		Emitting area on Plane 180°		0.120000 m2	
Emitting area on Plane 0°		0.120000 m2		Emitting area on Plane 270°		0.002500 m2	
Emitting area on Plane 90°		0.002500 m2		Glare area at 76°		0.145466 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		24-06-2024		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		6968 lm	
LED Flux=8602lm LED Power=47W Eff=81% EfcLed=183lm/W EfcLum=148lm/W CCT=3000K Ra=90 R9=50 SDCM=3 L70(10k)=60000h							
C.I.E.	33 60 83 69 100			D DIN 5040	B21		
F UTE	0.69 H + 0.31 T			B NBN	BZ 6		

