

## Luminaire

Code AF20801  
Name SHARP RCS.TRIM.12X 32W 940 WW BCO/BCO

## Measurerm.

Code FTS2000157  
Name SHARP RCS.TRIM.12X 32W 940 WW BCO/BCO

Luminaire Flux	2271.06 lm	Luminaire Power	33.00 W	Efficacy	68.82 lm/W	Efficiency	100.00%
Lamps Flux	2271.06 lm	Maximum value	1037.05 cd/klm	Position	C=170.00 G=9.00	CG	Sym. on planes 0-180
Rectangular Luminaire	Length	450 mm	Width	45 mm	Height	85 mm	
Rectangular Luminous Area	Length	440 mm	Width	32 mm	Height	0 mm	
Horizontal Luminous Area	0.014080 m <sup>2</sup>	Emitting area on Plane 180°	0.000000 m <sup>2</sup>	Emitting area on Plane 270°	0.000000 m <sup>2</sup>	Emitting area on Plane 90°	0.003406 m <sup>2</sup>
Coordinate system	CG	Symmetry Type	Sym. on planes 0-180	Date	23-10-2019	Maximum Gamma Angle	180
Measurement Distance	0.00	Measurement Flux	2271.06 lm	LED Flux=3509.1lm LED Power=33W Eff=65% EfcLed=106lm/W EfcLum=69lm/W CCT=4000K Ra=90 SDCM=2 L90(20K)=118000h			
C.I.E.	70 90 97 100 100	D DIN 5040	A50				
F UTE	1.00 C	B NBN	BZ 2				



