

Luminaire

Code AT14605IN0
Name A.39 C/S CTRL EM 1480 ARG INTEGR WI

Measurement

Code FTS2200142
Name A.39 C/S CTRL EM 1480 ARG INTEGR WI

Luminaire Flux	1869 lm	Luminaire Power	42.0 W	Efficacy	44.491 lm/W	Efficiency	100.00%
Source Flux	1869 lm	Maximum value	598.94 cd/klm	Position	C=0.00 G=0.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1480 mm	Width	45 mm	Height	850 mm
Rectangular Luminous Area		Length	1480 mm	Width	42 mm	Height	0 mm
Horizontal Luminous Area		0.062160 m ²		Emitting area on Plane 180°		0.000000 m ²	
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°		0.000000 m ²	
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°		0.015038 m ²	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		16-05-2022		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		1869 lm	
LED Flux=4536lm LED Power=34W Eff=41% EfcLed=134lm/W EfcLum=44lm/W CCT=5000K Ra=90 R9=50 SDCM=3 L70(12K)=50000h							
C.I.E.	70 96 99 100 100			D DIN 5040	A50		
F UTE	1.00 C			B NBN	BZ 2		



