

Luminaire

Code BZ04705+BZ05904
 Name A.39 S SHARP REFR.D+I 1184 840 DALISIL + KIT LOUVRES 1184 NRO

Measurement

Code FTS2102175-A
 Name A.39 S SHARP REFR.D+I 1184 840 DALISIL + KIT LOUVRES 1184 NRO

Luminaire Flux	7466 lm	Luminaire Power	58.0 W	Efficacy	128.724 lm/W	Efficiency	100.00%
Source Flux	7466 lm	Maximum value	740.16 cd/klm	Position	C=5.00 G=1.00	CG	Double Symmetrical
Rectangular Luminaire		Length	1184 mm	Width	45 mm	Height	85 mm
Rectangular Luminous Area		Length	1180 mm	Width	35 mm	Height	0 mm
Horizontal Luminous Area		0.041300 m2		Emitting area on Plane 180°		0.000000 m2	
Emitting area on Plane 0°		0.000000 m2		Emitting area on Plane 270°		0.000000 m2	
Emitting area on Plane 90°		0.000000 m2		Glare area at 76°		0.009991 m2	
Coordinate system		CG		Symmetry Type		Double Symmetrical	
Date		08-11-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		7466 lm	
LED Flux=9093lm LED Power=52W Eff=82% EfcLed=176lm/W EfcLum=129lm/W CCT=4000K Ra=90 R9=50 SDCM=3 L70(6K)=50000h							
C.I.E.	98 100 100 63 100			D DIN 5040	B61		
F UTE	--			B NBN	BZ 1		



