

Luminaire

Code BZ05305+BZ06104
 Name A.39 S SHARP REFR.D+I 2368 840 DALISIL + KIT LOUVRES 2368 NRO

Measurement

Code FTS2102199-A
 Name A.39 S SHARP REFR.D+I 2368 840 DALISIL + KIT LOUVRES 2368 NRO

Luminaire Flux	14933 lm	Luminaire Power	120.0 W	Efficacy	124.442 lm/W	Efficiency	100.00%
Source Flux	14933 lm	Maximum value	740.11 cd/klm	Position	C=5.00 G=1.00	CG	Double Symmetrical
Rectangular Luminaire		Length	2368 mm	Width	45 mm	Height	85 mm
Rectangular Luminous Area		Length	2363 mm	Width	35 mm	Height	0 mm
Horizontal Luminous Area		0.082705 m ²		Emitting area on Plane 180°	0.000000 m ²		
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°	0.000000 m ²		
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°	0.020008 m ²		
Coordinate system		CG		Symmetry Type	Double Symmetrical		
Date		08-11-2023		Maximum Gamma Angle	180		
Measurement Distance		0.00		Measurement Flux	14933 lm		


LED Flux=18186lm LED Power=104W Eff=82% EfcLed=176lm/W EfcLum=124lm/W CCT=4000K Ra=90 R9=50 SDCM=3 L70(6K)=50000h

C.I.E. 98 100 100 63 100
 F UTE --

D DIN 5040
 B NBN

B61
 BZ 1

2368mm x 45mm



Semipiani C

180.0 — 0.0
 270.0 — 90.0

ULOR 36.77 %

DLOR 63.23 %

RN 36.77 %

