

Luminaire

Code BW42004+AP91400
 Name VECTOR SPOT 55 CHANNEL 14W 4000K SP BLK + ANTI DAZZLE LOUVRE

Measurement

Code FTS2300112
 Name VECTOR SPOT 55 CHANNEL 14W 4000K SP BLK + ANTI DAZZLE LOUVRE

Luminaire Flux	713 lm	Luminaire Power	14.0 W	Efficacy	50.954 lm/W	Efficiency	100.00%
Source Flux	713 lm	Maximum value	9643.54 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	55 mm	Height	109 mm		
Round Luminous Area		Diam.	46 mm	Height	0 mm		
Horizontal Luminous Area		0.001662 m ²		Emitting area on Plane 180°		0.000000 m ²	
Emitting area on Plane 0°		0.000000 m ²		Emitting area on Plane 270°		0.000000 m ²	
Emitting area on Plane 90°		0.000000 m ²		Glare area at 76°		0.000402 m ²	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		24-02-2023		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		713 lm	

LED Flux=1685lm LED Power=14W Eff=42% EfcLed=120lm/W EfcLum=51lm/W CCT=4000K Ra=90 R9=50 SDCM=3 L70(6K)=50000h

C.I.E. 100 100 100 100 100
 F UTE --

D DIN 5040
 B NBN
 A60
 BZ 1

Diam=55mm



Semipiani C

180.0 ——— 0.0

ULOR 0.00 %
 DLOR 100.00 %
 RN 0.00 %



